


Essential Newborn Care 2

Assessment and Continuing Care




60 min



Identify risk factors

Assess

Prevent disease




If at any time **DANGER SIGN** immediately give antibiotics and seek advanced care

CLASSIFY

90 min

ROUTINE

Weight $\geq 2500g$
Temp $36.5 - 37.5^\circ C$
Feeding well. Normal exam



Maintain normal temperature



Support breastfeeding

Advise about breast feeding problems

Reassess for discharge



Immunize
Advise about home care

INTERMEDIATE

Weight $1500 - <2500g$, Temp $35.5 - 38^\circ C$
Feeding difficulty. Risk of infection



Maintain skin-to-skin
Support breastfeeding
Treat risk of infection

REASSESS

Low weight or low temperature



Provide continuous skin-to-skin




Improve thermal care

Feeding difficulty



Express breast milk



Feed with cup or tube



Transition to exclusive breastfeeding

REASSESS

Improved

Prepare for discharge

Low weight



Immunize
Advise about home care and community support

ADVANCED

DANGER SIGNS
Breathing >60
Chest indrawing
Temp $<35.5^\circ C$ or $>38^\circ C$
Not feeding
No movement
Convulsions

Weight $<1500g$
Severe malformation
Birth injury

Danger signs

Severe jaundice

Poor weight gain



Give antibiotics



Stabilize for referral as needed

Prevent infection - Provide respectful care - Record and use data